

stderr:

2016-03-15 09:58:35,056 - Package Manager failed to install packages. Error: Execution of '/usr/bin/yum -d 0 -e 0 -y install '--disablerepo=HDP-*' --enablerepo=HDP-2.4.0.0,HDP-UTILS-2.4.0.0 snappy' returned

1. Error: Package: snappy-devel-1.0.5-1.el6.x86_64 (@HDP-UTILS-1.1.0.20)

Requires: snappy(x86-64) = 1.0.5-1.el6

Removing: snappy-1.0.5-1.el6.x86_64 (@HDP-UTILS-1.1.0.20)

snappy(x86-64) = 1.0.5-1.el6

Updated By: snappy-1.1.0-3.el7.x86_64 (rhel-7-server-rpms)

snappy(x86-64) = 1.1.0-3.el7

You could try using --skip-broken to work around the problem

You could try running: rpm -Va --nofiles --nodigest

Traceback (most recent call last):

File "/var/lib/ambari-agent/cache/custom_actions/scripts/install_packages.py", line 376, in install_packages

skip_repos=[self.REPO_FILE_NAME_PREFIX + "*" if OSCheck.is_redhat_family() else []]

File "/usr/lib/python2.6/site-packages/resource_management/core/base.py", line 154, in __init__
self.env.run()

File "/usr/lib/python2.6/site-packages/resource_management/core/environment.py", line 158, in run
self.run_action(resource, action)

File "/usr/lib/python2.6/site-packages/resource_management/core/environment.py", line 121, in run_action

provider_action()

File "/usr/lib/python2.6/site-packages/resource_management/core/providers/package/__init__.py", line 49, in action_install

self.install_package(package_name, self.resource.use_repos, self.resource.skip_repos)

File "/usr/lib/python2.6/site-packages/resource_management/core/providers/package/yumrpm.py", line 49, in install_package

shell.checked_call(cmd, sudo=True, logoutput=self.get_logoutput())

File "/usr/lib/python2.6/site-packages/resource_management/core/shell.py", line 70, in inner
result = function(command, **kwargs)

File "/usr/lib/python2.6/site-packages/resource_management/core/shell.py", line 92, in checked_call
tries=tries, try_sleep=try_sleep)

File "/usr/lib/python2.6/site-packages/resource_management/core/shell.py", line 140, in _call_wrapper

result = _call(command, **kwargs_copy)

File "/usr/lib/python2.6/site-packages/resource_management/core/shell.py", line 291, in _call
raise Fail(err_msg)

Fail: Execution of '/usr/bin/yum -d 0 -e 0 -y install '--disablerepo=HDP-*' --enablerepo=HDP-2.4.0.0,HDP-UTILS-2.4.0.0 snappy' returned 1. Error: Package: snappy-devel-1.0.5-1.el6.x86_64 (@HDP-UTILS-1.1.0.20)

Requires: snappy(x86-64) = 1.0.5-1.el6

Removing: snappy-1.0.5-1.el6.x86_64 (@HDP-UTILS-1.1.0.20)

snappy(x86-64) = 1.0.5-1.el6

Updated By: snappy-1.1.0-3.el7.x86_64 (rhel-7-server-rpms)

snappy(x86-64) = 1.1.0-3.el7

You could try using --skip-broken to work around the problem

You could try running: rpm -Va --nofiles --nodigest

Traceback (most recent call last):

```
File "/var/lib/ambari-agent/cache/custom_actions/scripts/install_packages.py", line 497, in <module>
  InstallPackages().execute()
```

```
File "/usr/lib/python2.6/site-packages/resource_management/libraries/script/script.py", line 219, in
execute
```

```
  method(env)
```

```
File "/var/lib/ambari-agent/cache/custom_actions/scripts/install_packages.py", line 163, in
actionexecute
```

```
  raise Fail("Failed to distribute repositories/install packages")
```

```
resource_management.core.exceptions.Fail: Failed to distribute repositories/install packages
stdout:
```

```
2016-03-15 09:57:08,598 - Will install packages for repository version 2.4.0.0
```

```
2016-03-15 09:57:08,599 - Repository['HDP-2.4.0.0'] {'append_to_file': False, 'base_url': 'http://public-
repo-1.hortonworks.com/HDP/centos7/2.x/updates/2.4.0.0', 'action': ['create'], 'components': [u'HDP',
'main'], 'repo_template': '{{repo_id}}\nname={{repo_id}}\n% if mirror_list
%}\nmirrorlist={{mirror_list}}% else %}\nbaseurl={{base_url}}% endif
```

```
%}\n\npath=\n\nenabled=1\nngpgcheck=0', 'repo_file_name': 'HDP-2.4.0.0', 'mirror_list': None}
```

```
2016-03-15 09:57:08,620 - File['/etc/yum.repos.d/HDP-2.4.0.0.repo'] {'content': '[HDP-
2.4.0.0]\nname=HDP-2.4.0.0\nbaseurl=http://public-repo-
```

```
1.hortonworks.com/HDP/centos7/2.x/updates/2.4.0.0\n\npath=\n\nenabled=1\nngpgcheck=0'}
```

```
2016-03-15 09:57:08,622 - Writing File['/etc/yum.repos.d/HDP-2.4.0.0.repo'] because contents don't
match
```

```
2016-03-15 09:57:08,624 - Repository['HDP-UTILS-2.4.0.0'] {'append_to_file': True, 'base_url':
'http://public-repo-1.hortonworks.com/HDP-UTILS-1.1.0.20/repos/centos7', 'action': ['create'],
'components': [u'HDP-UTILS', 'main'], 'repo_template': '{{repo_id}}\nname={{repo_id}}\n% if
mirror_list %}\nmirrorlist={{mirror_list}}% else %}\nbaseurl={{base_url}}% endif
```

```
%}\n\npath=\n\nenabled=1\nngpgcheck=0', 'repo_file_name': 'HDP-2.4.0.0', 'mirror_list': None}
```

```
2016-03-15 09:57:08,635 - File['/etc/yum.repos.d/HDP-2.4.0.0.repo'] {'content': '[HDP-
2.4.0.0]\nname=HDP-2.4.0.0\nbaseurl=http://public-repo-
```

```
1.hortonworks.com/HDP/centos7/2.x/updates/2.4.0.0\n\npath=\n\nenabled=1\nngpgcheck=0\n[HDP-
UTILS-2.4.0.0]\nname=HDP-UTILS-2.4.0.0\nbaseurl=http://public-repo-1.hortonworks.com/HDP-UTILS-
1.1.0.20/repos/centos7\n\npath=\n\nenabled=1\nngpgcheck=0'}
```

```
2016-03-15 09:57:08,636 - Writing File['/etc/yum.repos.d/HDP-2.4.0.0.repo'] because contents don't
match
```

```
2016-03-15 09:57:08,705 - Execute(['/usr/bin/yum', 'clean', 'metadata']) {'logoutput': False, 'sudo': True}
```

```
2016-03-15 09:57:14,339 - Package['fuse'] {}
```

```
2016-03-15 09:57:14,503 - Skipping installation of existing package fuse
```

2016-03-15 09:57:14,503 - Package['fuse-libs'] {}
2016-03-15 09:57:14,517 - Skipping installation of existing package fuse-libs
2016-03-15 09:57:20,531 - Package['hive_2_4_*'] {'use_repos': ['HDP-2.4.0.0', 'HDP-UTILS-2.4.0.0'], 'skip_repos': ['HDP-*']}
2016-03-15 09:57:20,532 - Installing package hive_2_4_* ('/usr/bin/yum -d 0 -e 0 -y install '--disablerepo=HDP-*' --enablerepo=HDP-2.4.0.0,HDP-UTILS-2.4.0.0 'hive_2_4_*')
2016-03-15 09:57:49,370 - Package['hive_2_4_*-hcatalog'] {'use_repos': ['HDP-2.4.0.0', 'HDP-UTILS-2.4.0.0'], 'skip_repos': ['HDP-*']}
2016-03-15 09:57:49,371 - Installing package hive_2_4_*-hcatalog ('/usr/bin/yum -d 0 -e 0 -y install '--disablerepo=HDP-*' --enablerepo=HDP-2.4.0.0,HDP-UTILS-2.4.0.0 'hive_2_4_*-hcatalog')
2016-03-15 09:57:54,436 - Package['hive_2_4_*-webhcat'] {'use_repos': ['HDP-2.4.0.0', 'HDP-UTILS-2.4.0.0'], 'skip_repos': ['HDP-*']}
2016-03-15 09:57:54,437 - Installing package hive_2_4_*-webhcat ('/usr/bin/yum -d 0 -e 0 -y install '--disablerepo=HDP-*' --enablerepo=HDP-2.4.0.0,HDP-UTILS-2.4.0.0 'hive_2_4_*-webhcat')
2016-03-15 09:57:59,240 - Package['atlas-metadata*-hive-plugin'] {'use_repos': ['HDP-2.4.0.0', 'HDP-UTILS-2.4.0.0'], 'skip_repos': ['HDP-*']}
2016-03-15 09:57:59,241 - Installing package atlas-metadata*-hive-plugin ('/usr/bin/yum -d 0 -e 0 -y install '--disablerepo=HDP-*' --enablerepo=HDP-2.4.0.0,HDP-UTILS-2.4.0.0 'atlas-metadata*-hive-plugin')
2016-03-15 09:58:04,564 - Package['gcc'] {'use_repos': ['HDP-2.4.0.0', 'HDP-UTILS-2.4.0.0'], 'skip_repos': ['HDP-*']}
2016-03-15 09:58:04,565 - Installing package gcc ('/usr/bin/yum -d 0 -e 0 -y install '--disablerepo=HDP-*' --enablerepo=HDP-2.4.0.0,HDP-UTILS-2.4.0.0 gcc')
2016-03-15 09:58:10,085 - Package['sqoop_2_4_*'] {'use_repos': ['HDP-2.4.0.0', 'HDP-UTILS-2.4.0.0'], 'skip_repos': ['HDP-*']}
2016-03-15 09:58:10,086 - Installing package sqoop_2_4_* ('/usr/bin/yum -d 0 -e 0 -y install '--disablerepo=HDP-*' --enablerepo=HDP-2.4.0.0,HDP-UTILS-2.4.0.0 'sqoop_2_4_*')
2016-03-15 09:58:15,589 - Package['rpcbind'] {'use_repos': ['HDP-2.4.0.0', 'HDP-UTILS-2.4.0.0'], 'skip_repos': ['HDP-*']}
2016-03-15 09:58:15,589 - Installing package rpcbind ('/usr/bin/yum -d 0 -e 0 -y install '--disablerepo=HDP-*' --enablerepo=HDP-2.4.0.0,HDP-UTILS-2.4.0.0 rpcbind')
2016-03-15 09:58:21,063 - Package['hadoop_2_4_*'] {'use_repos': ['HDP-2.4.0.0', 'HDP-UTILS-2.4.0.0'], 'skip_repos': ['HDP-*']}
2016-03-15 09:58:21,063 - Installing package hadoop_2_4_* ('/usr/bin/yum -d 0 -e 0 -y install '--disablerepo=HDP-*' --enablerepo=HDP-2.4.0.0,HDP-UTILS-2.4.0.0 'hadoop_2_4_*')
2016-03-15 09:58:26,562 - Package['snappy'] {'use_repos': ['HDP-2.4.0.0', 'HDP-UTILS-2.4.0.0'], 'skip_repos': ['HDP-*']}
2016-03-15 09:58:26,562 - Installing package snappy ('/usr/bin/yum -d 0 -e 0 -y install '--disablerepo=HDP-*' --enablerepo=HDP-2.4.0.0,HDP-UTILS-2.4.0.0 snappy')
2016-03-15 09:58:35,056 - Package Manager failed to install packages. Error: Execution of '/usr/bin/yum -d 0 -e 0 -y install '--disablerepo=HDP-*' --enablerepo=HDP-2.4.0.0,HDP-UTILS-2.4.0.0 snappy' returned 1. Error: Package: snappy-devel-1.0.5-1.el6.x86_64 (@HDP-UTILS-1.1.0.20)

Requires: snappy(x86-64) = 1.0.5-1.el6

Removing: snappy-1.0.5-1.el6.x86_64 (@HDP-UTILS-1.1.0.20)

snappy(x86-64) = 1.0.5-1.el6

Updated By: snappy-1.1.0-3.el7.x86_64 (rhel-7-server-rpms)

snappy(x86-64) = 1.1.0-3.el7

You could try using `--skip-broken` to work around the problem

You could try running: `rpm -Va --nofiles --nodigest`

Traceback (most recent call last):

File `"/var/lib/ambari-agent/cache/custom_actions/scripts/install_packages.py"`, line 376, in `install_packages`

`skip_repos=[self.REPO_FILE_NAME_PREFIX + "*" if OSCheck.is_redhat_family() else []]`

File `"/usr/lib/python2.6/site-packages/resource_management/core/base.py"`, line 154, in `__init__`
`self.env.run()`

File `"/usr/lib/python2.6/site-packages/resource_management/core/environment.py"`, line 158, in `run`
`self.run_action(resource, action)`

File `"/usr/lib/python2.6/site-packages/resource_management/core/environment.py"`, line 121, in `run_action`

`provider_action()`

File `"/usr/lib/python2.6/site-packages/resource_management/core/providers/package/__init__.py"`, line 49, in `action_install`

`self.install_package(package_name, self.resource.use_repos, self.resource.skip_repos)`

File `"/usr/lib/python2.6/site-packages/resource_management/core/providers/package/yumrpm.py"`, line 49, in `install_package`

`shell.checked_call(cmd, sudo=True, logoutput=self.get_logoutput())`

File `"/usr/lib/python2.6/site-packages/resource_management/core/shell.py"`, line 70, in `inner`
`result = function(command, **kwargs)`

File `"/usr/lib/python2.6/site-packages/resource_management/core/shell.py"`, line 92, in `checked_call`
`tries=tries, try_sleep=try_sleep)`

File `"/usr/lib/python2.6/site-packages/resource_management/core/shell.py"`, line 140, in `_call_wrapper`

`result = _call(command, **kwargs_copy)`

File `"/usr/lib/python2.6/site-packages/resource_management/core/shell.py"`, line 291, in `_call`
`raise Fail(err_msg)`

Fail: Execution of `"/usr/bin/yum -d 0 -e 0 -y install '--disablerepo=HDP-*' --enablerepo=HDP-2.4.0.0,HDP-UTILS-2.4.0.0 snappy'` returned 1. Error: Package: `snappy-devel-1.0.5-1.el6.x86_64 (@HDP-UTILS-1.1.0.20)`

Requires: snappy(x86-64) = 1.0.5-1.el6

Removing: snappy-1.0.5-1.el6.x86_64 (@HDP-UTILS-1.1.0.20)

snappy(x86-64) = 1.0.5-1.el6

Updated By: snappy-1.1.0-3.el7.x86_64 (rhel-7-server-rpms)

snappy(x86-64) = 1.1.0-3.el7

You could try using `--skip-broken` to work around the problem

You could try running: `rpm -Va --nofiles --nodigest`

2016-03-15 09:58:40,764 - Installation of packages failed. Checking if installation was partially complete

2016-03-15 09:58:40,764 - Old versions: ['2.3.4.0-3485', '2.4.0.0-169']

2016-03-15 09:58:40,799 - New versions: ['2.3.4.0-3485', '2.4.0.0-169']

2016-03-15 09:58:40,800 - Deltas: set({})